

To: Robert Law[rlaw@demaximis.com]
Cc: Doug Simmons[doug.simmons@aecom.com]; Sharon Budney[BudneySL@cdm.com]; Willard Potter[otto@demaximis.com]; elizabeth.A.Franklin@usace.army.mil[elizabeth.A.Franklin@usace.army.mil]
From: Vaughn, Stephanie
Sent: Mon 10/21/2013 8:22:26 PM
Subject: RE: SSP2 Draft Field Modification to move station 13B-0523 due to the presence of a utility crossing.

How deep of a core do you anticipate being able to collect at the location of probing station 13B-P076?

From: Robert Law [mailto:rlaw@demaximis.com]
Sent: Monday, October 21, 2013 4:02 PM
To: Vaughn, Stephanie
Cc: Doug Simmons; Sharon Budney; Willard Potter; elizabeth.A.Franklin@usace.army.mil
Subject: SSP2 Draft Field Modification to move station 13B-0523 due to the presence of a utility crossing.

Stephanie:

Attached to this email is the Field Modification for moving station 13B-0523 due to the presence of a utility crossing.

R/

Rob

Robert Law, Ph.D.
de maximis, inc.
rlaw@demaximis.com
Voice: 908-735-9315
Fax: 908-735-2132